



For Aluminum

山東德利信工具有限公司

DLX Derishin Tool Co., Ltd.



www.dlxtool.com



山东德利信工具有限公司是新加坡独资直属企业，是中国目前投资较大的外商独资硬质合金圆锯片及相关产品的生产企业。德利信旨在成为全球锯片及硬质材料的领头生产商，凭借多年的行业经验积累和强大的生产能力，山东德利信能够为客户提供在整个行业中最具有竞争力的锯片及硬质刀具。并已建立起世界范围内的销售网络。坚持完美的品质，是德利信人一贯的工作目标和作风。具有丰富经验的生产团队与专业的技术研发团队，不断成熟和完善产品的生产工艺流程，对产品精益求精，是我们对客户永远的承诺。

通过产品性能的基础性实验，应力、噪音、振动等领域已处于领先地位。严格的生产过程中的品质管理，一流精良的检测手段和仪器，是狮威保证产品高品质的强有力的手段。

我们的产品已经远销到全球近四十多个国家，包括美洲、欧洲、澳大利亚，东南亚，日本及中东等地区。

德利信的理念为：专业，科技，经济。近年来，德利信致力于锯片及硬质合金生产的技术革新，质量控制，全球销售及完善售后服务体系的与时俱进，为中外客户提供最优化，个性的解决方案。

公司配备了德国ROFIN为发生器的激光切割装置，其精确的数控切割装置可以制作高精度要求的产品基板，目前公司生产的基板已与世界知名品牌配套。

Shandong derishin Tools Co. Ltd. is a Singapore owned enterprises directly, is currently Chinese greater investment in wholly foreign-owned hard alloy circular saw blades and related products production enterprises. Derishin aims to become the world's leading blade and hard material manufacturers, with years of industry experience and strong production capacity, Shandong direction can provide blade and hard tool in the entire industry is the most competitive for customers. And has established a worldwide sales network. Adhere to the perfect quality, is the direction and consistent work target. With rich experience in the production team and professional technical research and development team, and constantly mature and improve the production process, product excellence, is our commitment to customers forever.





Through the basic experiment of product performance, stress, noise, vibration and other fields have been in a leading position. Strict quality management in the production process, first-class sophisticated detection methods and instruments, is a powerful means to ensure the quality of products.

Our products have been exported to nearly more than 40 countries around the world, including the Americas, Europe, Australia, Southeast Asia, Japan and the Middle East and other regions.


The idea of the idea is: major, technology, economy. In recent years, technological innovation, Tokuri Nobu is committed to the production of cemented carbide blade and quality control, improve customer service global sales and service system to keep pace with the times, to provide optimal solutions for Chinese and foreign customers, personality.

The company is equipped with the German ROFIN laser cutting machine for the generator, its precise CNC cutting device can produce high precision requirements of the product substrate, the substrate has been produced by the company with the world famous brand.



薄壁铝型材用硬质合金圆锯片


- 用于各种门窗幕墙类铝型材的切割
- 适用机械：双头斜切锯、精密锯（重型）、自动式横向截断锯



直径 (D)	齿宽 (B)	板厚 (b)	孔径 (d)	齿数 (z)	定位孔 (PH)
200	2.2	1.6	25.4	60	
255	2.8	2.2	25.4	80	
255	2.8	2.2	25.4	100	
255	2.8	2.2	25.4	120	
305	3.0	2.4	30	100	
305	3.0	2.4	30	120	
355	3.2	2.6	30	80	
355	3.2	2.6	30	100	
355	3.2	2.6	30	120	
405	3.6	3.0	30	100	2/11/63+2/10/80
405	3.6	3.0	30	120	2/11/63+2/10/80
420	4.0	3.4	30	108	6/6.5/80
450	4.0	3.4	30	100	2/11/63+2/10/80
450	4.0	3.4	30	120	2/11/63+2/10/80
500	4.4	3.8	30	96	2/11/63+2/10/80
500	4.4	3.8	30	120	2/11/63+2/10/80
500	4.4	3.8	80	120	6/6.5/80
550	4.6	3.8	30	120	2/11/63+2/10/80
600	4.6	3.8	38	96	2/11/63+2/10/80
600	4.6	3.8	30	140	2/11/63+2/10/80
650	4.6	3.8	38	120	2/11/63+2/10/80
750	6.0	4.8	80	120	2/11/63

实心铝材铜材用硬质合金圆锯片



- 用于各种有色金属板材、棒材的切割
- 适用机械：双头斜切锯、精密锯（重型）、自动式横向截断锯



直径 (D)	齿宽 (B)	板厚 (b)	孔径 (d)	齿数 (z)	定位孔 (PH)
255	2.8	2.2	30	54	
300	2.8	2.2	30	60	
300	2.8	2.2	30	80	
405	3.6	3.0	30	60	2/11/63+2/10/80
405	3.6	3.0	30	96	2/11/63+2/10/80
455	4.0	3.4	30	80	2/11/63+2/10/80
455	4.0	3.4	30	96	2/11/63+2/10/80
500	4.4	3.6	30	68	2/11/63+2/10/80
500	4.4	3.6	30	96	2/11/63+2/10/80

超薄角码、铜材用硬质合金圆锯片



- 用于各种有色金属板材、棒材、角码、散热器的切割
- 适用机械：双头斜切锯、精密锯（重型）、自动式横向截断锯



直径 (D)	齿宽 (B)	板厚 (b)	孔径 (d)	齿数 (z)	定位孔 (PH)
305	2.0	1.7	30	100	
355	2.2	1.8	30	100	
405	2.4	2.0	30	100	2/11/63+2/10/80
405	3.2	2.2	30	100	2/11/63+2/10/80
455	2.5	1.8	30	96	2/11/63+2/10/80
500	2.8	2.2	30	96	2/11/63+2/10/80

塑钢型材用硬质合金圆锯片


- 适用各种塑钢类型材，硬质塑料
- 适用机械：双头斜切锯、精密锯（重型）、自动式横向截断锯



直径 (D)	齿宽 (B)	板厚 (b)	孔径 (d)	齿数 (z)	定位孔 (PH)
200	2.2	1.6	25.4	80	
230	2.2	1.6	25.4	100	
300	3.0	2.4	30	120	
300	3.0	2.4	30	100	
355	3.2	2.6	30	120	
405	3.6	3.0	30	120	2/11/63+2/10/80
405	3.6	3.0	60	120	2/11/63+2/10/80
420	4.0	3.4	30	120	2/11/63+2/10/80
450	4.0	3.4	30	120	2/11/63+2/10/80
500	4.4	3.8	30	120	2/11/63+2/10/80

门窗型材用大端面铣刀


- 用于各种门窗幕墙类铝型材的深加工
- 适用机械：端面铣设备 注：特殊规格可根据型材定做



直径 (D)	齿宽 (B)	板厚 (b)	孔径 (d)	齿数 (z)
250	3.0	2.0	32	40
250	4.0	3.0	32	40
250	5.0	4.0	32	40
250	6.0	5.0	32	40
250	6.5	5.0	32	40
250	7.5	6.0	32	40
250	8.0	7.0	32	40
250	8.5	7.0	32	40
250	9.0	7.5	32	40
250	10.0	8.0	32	40
250	12.0	9.0	32	40
250	15.0	10.0	32	40

门窗型材用中端铣刀


- 用于各种门窗幕墙类铝型材的深加工
- 适用机械：端面铣设备 注：特殊规格可根据型材定做




直径 (D)	齿宽 (B)	板厚 (b)	孔径 (d)	齿数 (z)
161	4.0	3.0	32	24
161	6.0	5.0	32	24
160	8.0	6.0	32	24
160	10.0	7.5	32	24
200	8.0	6.0	32	30
200	10.0	7.5	32	30

门窗端面用小端铣刀

- 用于各种铝型材门窗端面铣刀
- 适用机械：小端铣设备



注：根据型材定做
根据型材 CAD 图纸定做







低碳钢用硬质合金圆锯片

●用于低碳钢类管材、型材、圆棒的切断

●适用机械：各种专用机械





直径 (D)	齿宽 (B)	板厚 (b)	孔径 (d)	齿数 (z)	定位孔 (PH)
185	2.0	1.6	20	36	
185	2.0	1.6	20	48	
185	2.0	1.6	20	54	
185	2.0	1.6	20	68	
230	2.2	1.7	20	48	
230	2.2	1.7	25.4	80	
275	2.0	1.6	30	120	
285	2.2	1.7	30	120	
300	2.0	1.6	25.4	60	
300	2.2	1.8	25.4	120	
355	2.4	2.0	25.4	66	
355	2.4	2.0	32	90	

不锈钢用硬质合金圆锯片

●用于不锈钢类管材、型材的切断


●适用机械：各种专用机械



直径 (D)	齿宽 (B)	板厚 (b)	孔径 (d)	齿数 (z)	定位孔 (PH)
255	2.0	1.6	25.4	60	
255	2.2	1.8	25.4	60	
305	2.2	1.8	25.4	80	
305	2.2	1.8	25.4	60	
355	2.2	1.8	25.4	72	
355	2.2	1.8	25.4	90	

仿形铣刀铝门窗型材用



- 用于各种门窗幕墙类铝型材的深加工
- 适用机械：仿型铣设备 注：特殊规格可根据型材定做



柄 径 (D)	总 长 (Lt)	刃 长 (L1)	刃 径 (φ)
5	80	15	
5	80	25	
5	80	30	
8	60	20	
8	80	20	8
8	100	25	8
8	120	35	8
10	80	25	10
10	80	25	10
10	100	35	10
10	120	35	10

圆弧刀木门窗型材用

- 用于各种门窗、铝门复合型材类
- 适用机械：木工四面刨、立铣机械、梳齿机、全自动铣榫机 注：特殊规格可根据型材定做






DLX
For Aluminum

数显表数控机床用

- 用于各种门窗幕墙设备
- 各种数显精密设备
- 适用机械：数控设备 注：特殊规格可根据设备定做

- 显示分辨率：10um, 50um, 100um, 1mm
- 重复测量精度：Max10um
- 增加工件计算功能
- 功能菜单，自由设定参数
- 大高亮显示屏
- 毫米/角度切换
- 绝对/相对坐标
- 公制/英制切换
- 快捷/菜单操作
- 非接触式测量，无磨损
- 防护级别高，抗油污，抗灰尘
- 安装便捷



切削液铝门窗幕墙行业专用

- 用于各种门窗幕墙设备加工及各类设备
- 适用机械：数控设备

特点：


- 优良的润滑性能，提高 30% 的切割面光滑度；
 - 优异的冷却性能，延长锯片的使用寿命；
 - 超强的防锈性能，提高设备的使用寿命；
 - 比例越大，润滑油防锈性能越好，反之，冷却性能越好。
- 建议使用比例：本品 5-20%。

用途：

- 防锈、润滑、冷却、清洗、延长刀具寿命；
- 专用于门窗、幕墙、设备加工及各类车、铣、钻、锯、CNC 等机加工行业的冷却润滑防锈系统。




车间掠影/Workshop



吸尘口
三个吸尘口，
风速强劲稳定。



铭牌标示
信息详实，方便了解。
避免不必要错误发生。



牢固包装
精品纸箱，内含木架。
便于运输中转。




大力吸尘器

- 用于各种粉尘碎屑的收集。
 - 适用行业：木材加工、铝材切割。
- 注：可根据出口目的地定制。



电机功率	2.2KW	3KW	4KW	5.5KW	7.5KW
风量	2350m³/h	3150m³/h	4450m³/h	6000m³/h	7000m³/h
风速	20-25m/ec	35-40m/ec	35-40m/ec	40-45m/ec	40-45m/ec
吸尘口尺寸	Φ100mm×3个	Φ100mm×3个	Φ100mm×4个	Φ100mm×5个	Φ100mm×5个
集尘袋尺寸	Φ470mm×2个	Φ470mm×2个	Φ630mm×4个	Φ630mm×4个	Φ630mm×4个
外形尺寸	950*550*2000	1380*550*2000	1690*640*2200	1690*640*2000	2260*860*2200
包装尺寸	960*560*520	1300*560*520	1700*650*680	1700*650*680	2260*860*680
净重	50kg	67kg	95kg	120kg	166kg
毛重	55kg	70kg	104kg	127kg	170kg



DLX
For Aluminum



畅销的手切锯



显目切锯铝型材用

- 用于各种铝型材的锯切。
- 适用任意切割角度。

	12 寸	14 寸
	220V/380V 可选	220V/380V 可选
	1.1KW	1.5KW
锯片规格	305X3X25.4X120T	355X3.2X25.4X120T
切割范围 (垂直)	140X80 或者 100X100MM	160X100 或者 120X120MM
切割范围 (45 度)	80X80MM	100X100MM
送料架规格	60 米 (一边 3 米, 不含锯台宽度)	

节能环保扫地机



厂房扫地机


手推式扫地机



不用油

无电机

"0" 故障





硬质合金锯片
Carbide Tungsten
Circular Saw blade



大端铣刀
Large End Milling
Circular Saw blade




中端铣刀
Medium End Milling
Circular Saw Blade



金刚石圆锯片
Diamond
Circular Saw blades



手提电动清角机刀头
Milling Cutter for Potable
Internal Corner Milling Tool



仿形铣刀
Straight Shank Copy
Router Milling Bit




高速钢台阶钻
HSS Step Steel bit



组角刀
Corner Crimping Blade



90度胶条剪刀
90 Degree Rubber
Tape Scissors



多角度剪刀
Multi-angle Rubber
Strip Scissors




360 度螺丝刀
360° Screw Driver



窗扇定位器
Degree Angle Square




打胶嘴
Rubber Nozzle



门吸
Door stopper



电动水槽铣 0°
Portable Water slot
Hand tool for 0°




电动水槽铣 45°
Portable Water slot
Hand tool for 45°



电动水槽铣 90°
Portable Water slot
Hand tool for 90°



电动塑钢门窗内角清角机
UPVC Window Door Internal
Corner Cleaning Hand Tool



电动塑钢门窗外角清角机
UPVC Window Door External
Corner Cleaning Hand Tool



电动修边机
Top & Bottom Hand
Cleaning Tool



DLX
For Aluminum



刮水器
Silicon Shovel & Scraper



角度尺
Angle Ruler



毛刺刀
Foldable Knife



气垫
Air Cushion



气动金刚网剪刀
Pneumatic Steel Mesh Cutter



玻璃吸盘
Two Jaw Glass Sucker




铆钉枪 (自吸式)
Self-Suction Rivet Gun




电动金刚网剪刀
Electrical Steel Mesh Scissors



气枪
Air Gun



手动门窗焊机
Electric Hand Welding Machine




万能螺丝刀
Universal Screw Driver




橡胶锤
Rubber Head Hammer




销钉枪
Pin Gun



码钉枪
Nail Gun



胶条铲
Rubber Tape Shovel



电动胶枪
Electraflow



木柄压轮
Wood Handle Steel Pressure Wheel Roller




塑料压轮
Plastic Pressure Wheel Roller




木柄压轮
Wood Handle Steel Pressure Wheel Roller



塑料压轮
Plastic Pressure Wheel Roller



06锯工作台
Double Head Cutting
Saw Workbench



电磁阀
Solenoid Valve



V锯铝挡板
Aluminum ampers screen
for V Shape Cutting Machine



触头组
Contact
Terminal Block



仿形铣刀夹头
Clamping Chuck for
Copy Milling Cutter




仿形铣限位螺丝
Stop Bolt for
Copy Milling Cutter



焊板
Upvc window
Welding Plate



焊布
UPVC Window
Heating Cloth



交流接触器
AC Contactors




脚踏阀
Foot Valve



温控表
Thermostat



节流阀链接件
Throttle Valve Connectors



开关
Switch




可调手柄
Adjustable Handle



拉刀片
Knife



连接件
3 Quick
Connection Accessories



铝压块
Aluminum
Pressing Block



喷雾
Oil Mist
Coolant Sprayer



皮压头
Clamping Head



气缸
Pneumatic Cylinder




气缸夹持器
Air Cylinder Holder



热电偶
Thermocouple



数显计数继电器
Digital Display Relay



液压电磁阀
Hydraulic
Solenoid Valve




滑块轴承
Linear Bearing



油水分离器
Oil-water
Separator



锁孔钻头
Lock Hole Drill Bit



组角刀定位块
Positioning Block for
Corner-Crimping Cutter



组角机定位螺丝
Positioning Screw of
Angle Setting Machine



组角机调试板
Debugging Board of
Angle Setting Machine



气弹簧
Pneumatic Spring



DLX
For Aluminum





—— 专业 · 科技 · 经济 ——

山东德利信工具有限公司

DLX Derishin Tool Co., Ltd.

地址：中国 山东省济南市天桥区大魏庄路时代总部基地四期

电话：0531-85762161

传真：0531-85762162

移动电话：18615596856 13913785959

网址：www.dlxtool.com